
Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages


Paula A. Borden Bozicevic, Field & Francis 200 Middelfield Rd. Suite 200 Menlo Park, CA 94025 Phone: (650) 327-3400 Fax: (650) 327-3232

1

adipose B. living cells MEF adipose A. membranes MEF 25 Activity (% of wild-type) Triacylglycerol Synthesis



(19) Drawing pages



C. DGAT2 $\alpha$  activity as a function of Oleoyl Coenzyme A FIG. 3C DGAT2a 0 B. DGAT2 $\alpha$  activity as a function of Substrate added DGAT2a- baculovirus DGAT1- baculovirus **Diacylglycerol** FIG. 3B wt baculovirus No substrate added

Express Mail No. EV036410356US

"Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof"

500

400

300

200


100


Oleoyl CoA (µM)

Filed: 1/14/02

(19) Drawing pages

Paula A. Borden Bozicevic, Field & Francis 200 Middelfield Rd. Suite 200 Menlo Park, CA 94025 Phone: (650) 327-3400 Fax: (650) 327-3232





Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

# FIG. 6A

### Mouse DGAT2a amino acid sequence

MKTLIAAYSGVLRGERRAELPAAKNKNKGSALSREGSGRWGTGSSILSALQDIFSVTWLNRSKVEKQLQV ISVLQWVLSFLVLGVACSVILMYTFCTDCWLIAVLYFTWLAFDWNTPKKGGRRSQWVRNWAVWRYFRDYF PIQLVKTHNLLTTRNYIFGYHPHGIMGLGAFCNFSTEATEVSKKFPGIRPYLATLAGNFRMPVLREYLMS GGICLVNRDTIDYLLSKNGSGNAIIIVVGGAAESLSSMPGKNAVTLKNRKGFVKLALRHGADLVPTYSFG ENEVYKQVIFEEGSWGRWVKKFQKYIGFAPCIFHGRGLFSSDTWGLVPYSKPITTVVGEPITVPKLEHPT OKDIDLYHAMYMEALVKLFDNHKTKFGLPETEVLEVN (SEQ ID NO:04)

# FIG. 6B

#### Mouse DGAT2a nucleic acid sequence

ATGAAGACCCTCATCGCCGCCTACTCCGGGGTCCTGCGGGGTGAGCGTCGGGCGGAAGCTGCCCGCAGCGAA AACAAGAATAAAGGATCTGCCCTGTCACGCGAGGGGTCTGGGCGATGGGGCACTGGCTCCAGCATCCTCTCA GCCCTCCAAGACATCTTCTCTGTCACCTGGCTCAACAGATCYAAGGTGGAAAAACAGCTGCAGGTCATCTCA GTACTACAATGGGTCCTATCCTTCCTGGTGCTAGGAGTGGCCTGCAGTGTCATCCTCATGTACACCTTCTGC GGCAGGAGATCGCAGTGGGTGCGAAACTGGGCCGTGTGGCGCTACTTCCGAGACTACTTTCCCATCCAGCTG GTGAAGACACACCTGCTGACCACCAGGAACTATATCTTTGGATACCACCCCCATGGCATCATGGGCCTG  ${\tt GGTGCCTTCTGTAACTTCAGCACAGAGGCTACTGAAGTCAGCAAGAAGTTTCCTGGCATAAGGCCCTATTTG}$ GCTACGTTGGCYGGTAACTTCCGGATGCCTGTGCTTCGCGAGTACCTGATGTCTGGAGGCATCTGCCCTGTC AACCGAGACACCATAGACTACTTGCTCTCCAAGAATGGGAGTGGCAATGCTATCATCATCGTGGTGGGAGGT GCAGCTGAGTCCCTGAGCTCCATGCCTGGCAAGAACGCAGTCACCCTGAAGAACCGCAAAGGCTTTGTGAAG CTGGCCCTGCGCCATGGAGCTGATCTGGTTCCCACTTATTCCTTTGGAGAGAATGAGGTATACAAGCAGGTG ATCTTTGAGGAGGGTTCCTGGGGCCGATGGGTCCAGAAGAAGTTCCAGAAGTATATTGGTTTCGCCCCCTGC ATCTTCCATGGCCGAGGCCTCTTCTCCTCTGACACCTGGGGGCTGGTGCCCTACTCCAAGCCCATCACCACC GTCGTGGGGGAGCCCATCACTGTCCCCAAGCTGGAGCACCCGACCCAGAAAGACATCGACCTGTACCATGCC ATGTACATGGAGGCCCTGGTGAAGCTCTTTGACAATCACAAGACCAAATTTGGCCTNCCAGAGACTGAGGTG CTGGAGGTGAACTGA (SEQ ID NO:03)

Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

# FIG. 7A

#### Human DAGT2α amino acid sequence

MKTLIAAYSGVLRGERQAEADRSQRSHGGPALSREGSGRWGTGSSILSALQDLFSVTWLNRSKVEKQLQV ISVLQWVLSFLVLGVACSAILMYIFCTDCWLIAVLYFTWLVFDWNTPKKGGRRSQWVRNWAVWRYFRDYF PIQLVKTHNLLTTRNYIFGYHPHGIMGLGAFCNFSTEATEVSKKFPGIRPYLATLAGNFRMPVLREYLMS GGICPVSRDTIDYLLSKNGSGNAIIIVVGGAAESLSSMPGKNAVTLRNRKGFVKLALRHGADLVPIYSFG ENEVYKQVIFEEGSWGRWVQKKFQKYIGFAPCIFHGRGLFSSDTWGLVPYSKPITTVVGEPITIPKLEHP TQQDIDLYHTMYMEALVKLFDKHKTKFGLPETEVLEVN (SEQ ID NO:02)

## FIG. 7B

### Human DAGT2a nucleic acid sequence

TTCAGCCATGAAGACCCTCATAGCCGCCTACTCCGGGGTCCTGCGCGGGGGGCGAGCCTCAGGCCGAGGCTGACCG GAGCCAGCGCTCTCACGGAGGACCCGTGTCGCGCGAGGGGGTCTGGGAGATGGGGCACTGGATCCAGCATCCT  $\mathtt{CTCCGCCTCCAGGACCTCTTCTCTGTCACCTGGCTCAATAGGTCCAAGGTGGAAAAGCAGCTACAGGTCAT$ CTCAGTGCTCCAGTGGGTCCTGTCCTTCCTTGTACTGGGAGTGGCCTGCAGTGCCATCCTCATGTACATATT CTGCACTGATTGCTGGCTCATCGCTGTGCTCTACTTCACTTGGCTGGTGTTTGACTGGAACACCCCAAGAA AGGTGGCAGGAGGTCACAGTGGGTCCGAAACTGGGCTGTGTGGCGCTACTTTCGAGACTACTTTCCCATCCA GCTGGTGAAGACACACCTGCTGACCACCAGGAACTATATCTTTGGATACCACCCCCATGGTATCATGGG CCTGGGTGCCTTCTGCAACTTCAGCACAGAGGCCACAGAAGTGAGCAAGAAGTTCCCAGGCATACGGCCTTA CCTGGCTACACTGGCAGGCAACTTCCGAATGCCTGTTGTGGGGGAGTACCTGATGTCTGGAGGTATCTGCCC TGTCAGCCGGGACACCATAGACTATTTGCTTTCAAAGAATGGGAGTGGCAATGCTATCATCATCGTGGTCGG GGGTGCGCTGAGTCTCTGAGCTCCATGCCTGGCAAGAATGCAGTCACCCTGCGGAACCGCAAGGGCTTTGT GAAACTGGCCTGCGTCATGGAGCTGACCTGGTTCCCATCTACTCCTTTGGAGAGAATGAAGTGTACAAGCA GGTGATCTTCGAGGAGGGCTCCTGGGGCCGATGGGTCCAGAAGAAGTTCCAGAAATACATTGGTTTCGCCCC CACTGTTGTGGGAGAGCCCATCACCATCCCCAAGCTGGAGCACCCAACCCAGCAAGACATCGACCTGTACCA CACCATGTACATGGAGGCCCTGGTGAAGCTCTTCGACAAGCACAAGACCAAGTTCGGCCTCCCGGAGACTGA GGTCCTGGAGGTGAACTGAGCCAGCCTTCGGGGCCAATTCCCTGGAGGAACCAGCTGCAAATCACTTTTTTG CTCTGTA (SEQ ID NO:01)

Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

# FIG. 8A

### Mouse DC2 amino acid sequence

MMVEFAPLNTPLARCLQTAAVLQWVLSFLLLVQVCIGIMVMLVLYNYWFLYIPYLVWFYYDWRTPEQGGR RWNWVQSWPVWKYFKEYFPICLVKTQDLDPGHNYIFGFHPHGIFVPGAFGNFCTKYSDFKKLFPGFTSYL HVAKIWFCFPLFREYLMSNGPVSVSKESLSHVLSKDGGGNVSIIVLGGAKEALEAHPGTFTLCIRQRKGF VKMALTHGASLVPVFSFGENDLYKQINNPKGSWLRTIQDAMYDSMGVALPLIYARGIFQHYFGIMPYRKL IYTVVGRPIPVQQILNPTSEQIEELHQTYLEELKKLFNEHKGKYGIPEHETLVFK (SEQ ID NO:06)

### Mouse DC2 nucleic acid sequence

#### Human DC2 amino acid sequence

MKVEFAPLNIQLARRLQTVAVLQWVLSFLTGPMSIGITVMLIIHNYLFLYIPYLMWLYFDWHTPERGGRR SSWIKNWTLWKHFKDYFPIHLIKTQDLDPSHNYIFGFHPHGIMAVGAFGNFSVNYSDFKDLFPGFTSYLH VLPLWFWCPVFREYVMSVGLVSVSKKSVSYMVSKEGGGNISVIVLGGAKESLDAHPGKFTLFIRQRKGFV KIALTHGASLVPVVSFGENELFKQTDNPEGSWIRTVQNKLQKIMGFALPLFHARGVFQYNFGLMTYRKAI HTVVGRPIPVRQTLNPTQEQIEELHQTYMEELRKLFEEHKGKYGIPEHETLVLK (SEQ ID NO:08)

### Human DC2 nucleic acid sequence

Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

## FIG. 8B

Mouse DC3 amino acid sequence (partial sequence, about 100 amino acids gap in the center of the protein)

MKTEHLQSLSLLQWPLSYVAMFWIVQPLLICLLFTPLWPLPTVYFVWLLLDWKTPDKGGRRSDWVRNWNV
WNHIRDYFPITILKTKDLSPSENYIMGVHPHGLLTFGAFCNFCTEATGFSKTFPGITPHLATLSWFFKIP
IIRDYIMAKGLCSVSQASIDYLLSHGTGNLVGIPIITVVGEALPLPQVKNPSPEIVDKYHALYMDALYKL
FEQHKVQYGCSNTQKLIFL (SEQ ID NO:10)

Mouse DC3 nucleic acid sequence (partial sequence, about 100 amino acids gap in the center of the protein)

TTACCTCCCTCAGGGTCCTGGGCATCATGTCTTGCTCTATGAAGACTGAACACTTACAGAGTCTGAGCCTTC
TGCAGTGGCCCTTGAGCTACGTTGCCATGTTTTGGATTGTGCAGCCATTGTTAATTTGCCTATTGTTCACAC
CCTTGTGGCCGCTACCAACAGTTTACTTTGTCTGGTTACTTCTCGACTGGAAGACTCCAGATAAAGGTGGCA
GGCGTTCAGACTGGGTACGGAACTGGAATGTCTGGAACCACATCAGGGACTATTTCCCCATTACAATCCTGA
AGACTAAGGACCTGTCACCTTCAGAGAACTACATCATGGGGGTCCACCCCATNGGTCTCCTGACCTTCGGTG
CCTTCTGCAACTTCTGCACTGAGGCCACAGGCTTCTCGAAGACCTTCCCAGGCATCACTCCTCACTTGGCCA
CAC (SEQ ID NO:09)

#### Human DC3 amino acid sequence

MAFFSRLNLQEGLQTFFVLQWIPVYIFLVWILQPLFVYLLFTSLWPLPVLYFAWLFLDWKTPERGGRRSA WVRNWCVWTHIRDYFPITILKTKDLSPEHNYLMGVHPHGLLTFGAFCNFCTEATGFSKTFPGITPHLATL SWFFKIPFVREYLMAKGVCSVSQPAINYLLSHGTGNLVGIVVGGVGEALQSVPNTTTLILQKRKGFVRTA LQHGAYLVPSYSFGENEVFNQETFPEGTWLRLFQKTFQDTFKKILGLNFCTFHGRGFTRGSWGFLPFNRP ITTVVGEPLPIPRIKRPNQKTVDKYHALYISALRKLFDQHKVEYGLPETQELTIT (SEQ ID NO:12)

#### Human DC3 nucleic acid sequence

ATCAACTCAGCTTAAGAAGTTTTGGCCTTCTGGTTAGGCTTCTTGCCACAACAGAACAGCACCATAACCATG GCTTTCTTCTCCCGACTGAATCTCCAGGAGGGCCTCCAAACCTTCTTTGTTTTGCAATGGATCCCAGTCTAT ATATTTTTAGTTTGGATCTTGCAGCCATTGTTCGTCTACCTGCTGTTTACATCCTTGTGGCCGCTACCAGTG CTTTACTTTGCCTGGTTGTTCCTGGACTGGAAGACCCCAGAGCGAGGTGGCAGGCGTTCGGCCTGGGTAAGG AACTGGTGTGTCTGGACCCACATCAGGGACTATTTCCCCATTACGATCCTGAAGACAAAGGACCTATCACCT GAGCACAACTACCTCATGGGGGTTCACCCCCATGGCCTCCTGACCTTTGGCGCCCTTCTGCAACTTCTGCACT CTGAGCCATGGCACTGGCAACCTCGTGGGCATTGTAGTGGGAGGTGTGGGTGAGGCCCTGCAAAGTGTGCCC AACACCACCACCTCATCCTCCAGAAGCGCAAGGGGTTCGTGCGCACAGCCCTCCAGCATGGGGCATACCTT GTCCCTTCATATTCCTTTGGTGAGAACGAAGTTTTCAATCAGGAGACCTTCCCTGAGGGCACGTGGTTAAGG TTGTTCCAAAAAACCTTCCAGGACACATTCAAAAAAATCCTGGGACTAAATTTCTGTACCTTCCATGGCCGG GGCTTCACTCGCGGATCCTGGGGCTTCCTGCCTTTCAATCGGCCCATTACCACTGTTGTTGGGGAACCCCTT CCAATTCCCAGGATTAAGAGGCCAAACCAGAAGACAGTAGACAAGTATCACGCACTCTACATCAGTGCCCTG CGCAAGCTCTTTGACCAACACAAAGTTGAATATGGCCTCCCTGAGACCCAAGAGCTGACAATTACATAACAG GAGCCACATTCCCCATTGATCAACCCCCAAAGCCATGAGGGATCCAAGTAGAGCCACAGAAAAAGAAGAATT CCAGGAGAGGGAAAGATCGTAAGGATGAGAGAGGAGACCATCCAAGCCAGAAATTATTTAATAAATCAGAGT TCTAGCAATAGAGTCC (SEQ ID NO:11)

Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

# FIG. 8C

#### Human DC4 amino acid sequence

MLLPSKKDLKTALDVFAVFQWSFSALLITTTVIAVNLYLVVFTPYWPVTVLILTWLAFDWKTPQRGGRRF TCVRHWRLWKHYSDYFPLKLLKTHDICPSRNYILVCHPHGLFAHGWFGHFATEASGFSKIFPGITPYILT LGAFFWMPFLREYVMSTGACSVSRSSIDFLLTHKGTGNMVIVVIGGLAECRYSLPGSSTLVLKNRSGFVR MALQHGVPLIPAYAFGETDLYDQHIFTPGGFVNRFQKWFQSMVHIYPCAFYGRGFTKNSWGLLPYSRPVT TIVGEPLPMPKIENPSOEIVAKYHTLYIDALRKLFDQHKTKFGISETQELEII (SEQ ID NO:014)

### Human DC4 nucleic acid sequence

AATTCGGCTTACTCACTATAGGGCTCGAGCGGCCCCCGGGCAGGTGCCGACTTCATTTCCAAGTCTGCAC ACAATGCAGGCAGTAGCCATGCCTGACAGCCACATGACAGATACTACACCGCTGAATGTGCTCTAACCCT GGACTTGCCATTGCCCCTACTGTTGAGGAAGCAGTGCGTTTTTCTCCAGTCTTTCAGGTCCCTTCACCAG GGAACCATTAACTTGTGCATCAGAACAAGGACATTTCCTTACATTCCTGCAAACACAGTCCTTTCAGTTT ACTCTTTTTTTGAGGGGGGGGGGGGAACGGAGTCTCGCTCTGTCGCCCAGGCTGGAGTGCAATGGTG CAATCTCAGCTCACTGCAACCTCTGCCTCCCAGGTCCAAGCGATTCTCCTGCCTCAGCCTCCCGGGTAGC CGGGACTACAGGCGCCTGCCACCACGCCCGGCTAATTTTTTGTATTTTTAGTAGAGACGAGGTTTCGCCGT GTTGGCAGGCTGGTCTTGGAACTCCTGACCTCAGGTGATTTACTCGCCTCGGCCTCCCAAAGTGCTGGGA TTACAGGCATGAGCCACTGTGCCCAGTCACAAGTTTTTATTTTAGCCATTTTGATAAGTGTGAAGTTCCC TGATGGCTAATGATGTTCCTTTTTCCATGTGCTCATTTGTCATCTATGCCAGAGAAGATTTGGAGAGGAG GACGTGAATTGGAGGAAAACTGTTCCAGGATTCCCCACCTCTGGTGGCCCACCGCTGGCTCACTGCCATT ATTCAGCTCAGCTGGGGAAGAAGACACCTTCCCTTCTAGACCTGAATCGGGTTCCCAAGCAACCACTGTG ATTGCTGTCAACCTCTACCTGGTGGTGTTCACACCATACTGGCCTGTCACTGTGCTTATTCTTACCTGGC TGGCTTTTGACTGGAAGACCCCTCAGCGAGGCGGCCGCCGGTTTACCTGTGTGAGGCACTGGCGCCTGTG GAAACACTACAGCGATTATTTCCCTCTCAAGCTTCTGAAGACTCATGACATCTGCCCCAGCCGCAACTAC GCTTCTCCAAGATATTTCCTGGCATCACCCCTTACATACTCACACTGGGAGCCTTTTTCTGGATGCCTTT CCTCAGAGAATATGTAATGTCTACAGGGGCCTGCTCTGTGAGTCGATCCTCCATTGACTTTCTGCTGACT CATAAAGGCACAGGCAACATGGTCATTGTGGTGATTGGTGGACTGGCTGAGTGCAGATACAGCCTGCCAG GTTCTTCTACCCTGGTGTTGAAGAACCGGTCTGGCTTTGTGCGCATGGCCCTTCAGCATGGGGTGCCTCT AATACCTGCCTATGCCTTTGGGGAGACGGACCTCTATGATCAGCACATTTTCACTCCTGGTGGCTTTGTC AACCGCTTCCAGAAGTGGTTCCAGAGCATGGTACACATCTACCCTTGTGCTTTCTATGGACGTGGCTTCA CCAAGAACTCCTGGGGCCTTCTGCCCTATAGTCGGCCTGTAACCACCATCGTCGGGGAGCCTCTACCAAT GCCCAAGATTGAGAATCCAAGCCAGGAGATCGTGGCTAAATATCACACACTCTATATTGATGCCCTACGT **AAACTGTTTGACCAGCATAAGACCAAGTTTGGTATCTCAGAGACCCAGGAGCTGGAGATAATTTGACAGA** 

Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

# FIG. 8D


#### Human DC5 amino acid sequence

MVEFAPLFVPWERRLQTLAVLQFVFSFLALGKICTVGFIALLFTRFWLLTVLYAAWWYLDRDKPRQGGRH IQAIRCWTIWKYMKDYFPIQLVKTAELDPSRNYIAGFHPHGVLAVGAFANLCTESTGFSSIFPGIRPHLM MLTLWFRAPFFRDYIMSAGLVTSEKESAAHILNRKGGGNLLGIIVGGAQEALDARPGSFTLLLRNRKGFV RLALTHGAPLVPIFSFGENDLFDQIPNSSGSWLRYIQNRLQKIMGISLPLFHGRGVFQYSFGLIPYRRPI TTVGKPIEVQKTLHPSEEEVNQLHQHYIKELCNLFEAHKLKFNIPADQHLEFC (SEQ ID NO:16)

### Human DC5 nucleic acid sequence

CCACAGCAGAGCTCACAGAACCTGCGGGAGCCAGGCTGACCCGCCAGCATGGTAGAGTTCGCGCCCTTGTTT
GTGCCGTGGGAGCGCAGGCTGCAGACACTTGCTGTCCTACAGTTTGTCTTCTCCTTCTTTGGCACTGGGTAAG
ATCTGCACTGTGGGCTTCATAGCCCTCCTGTTTACAAGATTCTGGCTCCTCACTGTCCTGTATGCGGCCTGG
TGGTATCTGGACCGAGACAAGCCACGGCAGGGGGGCCGGCACATCCAGGCCATCAGGTGCTGGACTATATGG
AAGTACATGAAGGACTATTTCCCCATCCAGCTGGTCAAGACTGCTGAGCCCCTCTCGGAACTACATT
GCGGGCTTCCACCCCCATGGAGTCCTGGCAGTCGAGCCTTTGCCAACCTGTGCACTGAGAGCACAGGCTTC
TCTTCGATCTTCCCCGGTATCCGCCCCCATCTGATGATGCTGACCTTGTGGTTCCGGGCCCCCTTCTTCAGA
GATTACATCATGTCTGCAGGGTTGGTCACATCAGAAAAGGAGAGTGCTGCTCACATTCTGAACAGGAAGGGT
GGCGGAAACTTGCTGGGCATCATTGTAGGGGGTGCCCAGGAGGCCCTGGATGCCAGGCCTGGATCCTTCACG
CTGTTACTGCGGGAACCGAAAGGGCTTCGTCAGGCTCGCCCTGACACACGGGGCACCCCTGGTGCCAATCTTC
TCCTTCGGGGAGAATGACCTATTTGACCAGATTCCCAACTCTTCTGGCTCCTGGTTACGCTATATCCAGAAT
CGGTTGCAGAAGATCATGGGCATCTCCCTCCCACTCTTTCATGGCCGTGGTTCTTCCAGTACAGCTTTTGGT
TTAATACCCTACCGCCGGCCCATCACCACTGTGGGGAAGCCCATCGAGGTACAGAAGACGCTGCATCCCTCG
GAGGAGGAGGTGAACCAGCTGCACCACTGTTGGAGACCCTCTTCGAGGCCCACAAACTT
AAGTTCAACATCCCTGCTGACCAGCACTTTGGAGTTCTCCTAACACCTCTTCCGAGGCCCACAAACTT
AAGTTCAACATCCCTGCTGACCAGCACTTTGGAGTTCTCCTGA (SEQ ID NO:15)

FIG. 9




Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages

# FIG. 10A

mMGAT1	MMVEFAPLNTPLARTPLAR
mDGAT2	MKTLIAAYSGVLRGERRAEAARSENKNKGSALSREGSGRWGTGSSILSALQDIFSVTWLN
	* . :* : . *:*
mMGAT1	CLQTAAVLQWVLSFLLLVQVCIGIMVMLVLYNYWFLYIPYLVWFYYDWRTPEQG
mDGAT2	RSKVEKOLOVISVLOWVLSFLVLGVACSVILMYTFCTDCWLIAVLYFTWLAFDWNTPKKG
	**, :*******
mMGAT1	GRRWNWVQSWPVWKYFKEYFPICLVKTQDLDPGHNYIFGFHPHGIFVPGAFGNFCTKYSD
mDGAT2	GRRSQWVRNWAVWRYFRDYFPIQLVKTHNLLTTRNYIFGYHPHGIMGLGAFCNFSTEATE
	*** :**:.*.**:*** ****:* . :****** *** *
mMGAT1	FKKLFPGFTSYLHVAKIWFCFPLFREYLMSNGPVSVSKESLSHVLSKDGGGWVSIIVLGG
mDGAT2	VSKKFPGIRPYLATLAGNFRMPVLREYLMSGGICPVNRDTIDYLLSKNGSGNAIIIVVGG
	* ***: . * * : *: * * * . *
mMGAT1	akealeahpgtftlcirqrkgfvkmalthgaslvpvfsfgendlykqinnpkgswlrtiq
mDGAT2	AAESLSSMPGKNAVTLKNRKGFVKLALRHGADLVPTYSFGENEVYKQVIFEEGSWGRWVQ
	* *:*.: **. :: ::::********************
mMGAT1	DAM DSMGVALPLIYARGIFQ-HYFGIMPYRKLIYTVVGRPIPVQQILNPTSEQIEELHQ
mDGAT2	KKFQKYIGFAPCIFHGRGLFSSDTWGLVPYSKPITTVVGEPITVPKLEHPTQKDIDLYHA
mMGAT1	TYLEELKKLFNEHKGKYGIPEHETLVFK
mDGAT2	MYMEALVKLFDNHKTKFGLPETEVLEVN
	*:* * ***::** *:*:** *.* .:

FIG. 10B






FIG. 11





FIG. 12

Express Mail No. EV036410356US Filed: 1/14/02 For: "Mono- and Diacylglycerol Acyltransferases and Methods of Use Thereof" (19) Drawing pages



Western: Anti-Flag

FIG. 13

FIG. 14

